

EPA / EPO / OEB D - 80298 München

089 / 2399 - 0

Europäisches **Patentamt**

European Patent Office des brevets 566465

Office européen

523 656 epmu d IAP20 Residentiate 30 JAN 2006 089 / 2399 - 4465 FPA / FPO / OFB : D-80298 München

Z Z	27.05.2004 Zeichen des A	nmel ı den	PCT/EP 2014 Date of receipt / Date ders / Vertreter - App randeur ou du manda	e de récept	ion	ıf. no
2 1	Z7.05.2004 Zeichen des Al Référence du	nmel ı den	Date of receipt / Date	e de récept	ion	f. no
2 1	Z7.05.2004 Zeichen des Al Référence du	nmel ı den	ders / Vertreter - App	licant / Rep		if. no
Z	Zeichen des A Référence du	ı den			presentative re	f. no
11 .	Référence du	ı den			presentative re	ef. no
<u> </u>	H100208WO/I	neë .	_			
I Specialty Chem		(
a obecient outsin			Datum	/ Date	28.05.04	
			•			
ocuments / Ré	ecepisse a	e a	cuments			•
onfana folgender C	Jokumente:		•			
eceipt of the follow	vina:				•	
cuments indiqués	ci-dessous:			,		
			*	, .		•
lication / S	Stückzahl / No	.of	•			
	•					-
	d'exemplaires	3				
•	1	_				
	•				ey	
l) ·			Copie du pouvoir gén	érai		
part)	3		Prioritätsheleg(e)			
ge des			•			
4				ité		
						-
ion(s)		_			ng	
		\boxtimes			1	
	3		Feuille de Calcul des	taxes		
		\square		Währung	/Currency/Mor	nnaie
				-	•	
			Ordie de debit			
•					ur 2552 00	
•					2352.00	
ie des	 		Scheck		•	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Ш	,	Optional /	facultatif	
			Cheque			
•		_			ifführen)	
			Autres documents (p	réciser)	•	
ents /			•			
					-	
					•	
			•			
•		-			 	
	eceipt of the follow cuments indiqués dication / S dication / S dicati	copies / Nomb d'exemplaires 1 1 2) part) ge des 3 3 4 ge des a eingegangen. Die in der Kontr	eceipt of the following: cuments indiqués ci-dessous: dication / Stückzahl / No.of copies / Nombre d'exemplaires 1	cuments indiqués ci-dessous: Stückzahl / No.of	cuments indiqués ci-dessous: Stückzahl / No.of	cuments indiqués ci-dessous: Stückzahl / No.of copies / Nombre d'exemplaires 1

of the PCT Request Form RO/101 were correct. The application has been assigned the above-indicated application number / Les documents mentionnés ont été reçus à la date indiquée. L'exactitude du nombre de feuilles indiqué au bordereau (cadre VIII) du formulaire de requête PCT RO/101 n'a pas été contrôlée lors du dépot. Le numéro figurant ci-dessus a été attribpé à la demande de brevet

Unterschrift / Amtsstempel / Signature / Official Stamp / Signature / Cachet officiel



Europäisches Patentamt European Patent Office Office suropeon des bravets ⊠ D-Sø298 München

D. Reis Passinhas

PCT

REQUEST

For receiving Office use only
International Application No.
International Filing Date
14Th Cart I and the standard Annalisation?
Name of receiving Office and "PCT International Application"

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty. Applicant's or agent's file reference (if desired) (12 characters maximum)) H100208WO/brä TITLE OF INVENTION Box No. I Process for the Preparation of Geminal Difluoroalkanes This person is also inventor Box No. II **APPLICANT** Name and address: (Family name followed by given name; for a legal entity, full official designation. Telephone No. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) Honeywell Specialty Chemicals Seelze GmbH Facsimile No. Wunstorfer Straße 40 Teleprinter No. 30926 Seelze DE Applicant's registration No. with the Office State (that is, country) of residence: State (that is, country) of nationality: the United States the States indicated in all designated States except This person is applicant all designated of America only the Supplemental Box the United States of America for the purposes of: States FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Box No. III Name and address: (Family name followed by given name; for a legal entity, full official designation. This person is: The address must include postal code and name of country. The country of the address indicated in this applicant only Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) SCHMAND, Horst Ludwig Karl applicant and inventor Kramerstr. 3 inventor only (If this check-box is marked, do not fill in below.) 31542 Bad Nenndorf Applicant's registration No. with the Office DE State (that is, country) of residence: State (that is, country) of nationality: DE DE the United States the States indicated in all designated States except This person is applicant all designated the Supplemental Box of America only for the purposes of: States the United States of America Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE Box No. IV The person identified below is hereby/has been appointed to act on behalf common. agent of the applicant(s) before the competent International Authorities as: representative Telephone No. Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) 089-92805-0 Facsimile No. BUBLAK, Wolfgang 089-92805-444 Bardehle Pagenberg Dost Altenburg Geissler Teleprinter No. Galileiplatz 1, 81679 München, DE Agent's registration No. with the Office: Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Box No. V DESIGNAT	IONS	·.				
The filing of this request cons filing date, for the grant of ever	etitutes under Rule 4.9(a), ery kind of protection availa	the designation of all Conable and, where applicable,	tracting States bound by the for the grant of both region	e PCI on the international lal and national patents.		
However, DE Germany is not	designated for any kind of	of national protection				
	ea is not designated for a		ction			
	ion is not designated for					
(The check-boxes above may be the national law of an earlier n	used to exclude (irrevocably ational application from whi) the designations concerned ch priority is claimed. See th	l in order to avoid the ceasing	g of the effect, under e consequences of		
such national law provisions in	these and certain other State	s.)	•			
Box No. VI PRIORI	TY CLAIM					
The priority of the following	g earlier application(s) is h	ereby claimed:	· .	·		
Filing date	Number		Where earlier application i	s:		
of earlier application (day/month/year)	of earlier application	national application: country or Member of WTO	regional application:* regional Office	international application: receiving Office		
item (1)	10336274.6	Germany				
07/08/2003						
07 August 2003 item (2)						
		·				
item (3)						
Further priority claims a	are indicated in the Supple	mental Box.				
The receiving Office is requested if the earlier application was fit above as:	ed to prepare and transmit to led with the Office which for	the International Bureau a co the purposes of this internat	ertified copy of the earlier application is the receive	plication(s) (only ving Office) identified		
all items	item (1) item (2	2) [item (3) other, see	e Supplemental Box		
* Where the earlier application Industrial Property or one Men	is an ARIPO application, in onber of the World Trade Orgo	dicate at least one country p anization for which that earl	arty to the Paris Convention ier application was filed (Rui	for the Protection of le 4.10(b)(ii)):		
Box No. VII INTERN	ATIONAL SEARCHIN	G AUTHORITY				
Choice of International Sea		······································	al Searching Authorities are	competent to carry out the		
international search, indicate to	he Authority chosen; the two	letter code may be used):				
ISA / EP	•					
Request to use results of ear		hat search (if an earlier se				
Date (day/month/year)		lumber	Country (or regional Off	fice))		
Box No. VIII DECLA	RATIONS					
The following declarations check-boxes below and indi	are contained in Boxes N cate in the right column to	los. VIII (i) to (v) (mark i he number of each type o	the applicable f declaration):	Number of declarations		
Box No.VIII (i)	Declaration as to the ider	tity of the inventor		:		
Box No. VIII (ii)	Box No. VIII (ii) Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent					
Box No.VIII (iii)	Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application					
Box No. VIII (iv)						
Box No. VIII (v)	Declaration as to non-pre	judicial disclosures or exc	eptions to lack of novelty	:		

Box No. IX CHECK LIST; LANGUAGE C	of FILING	
This international application contains: (a) the following number of	This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):	Number of items
sheets in paper form:	1. \(\sum \) fee calculation sheet:	: 1
request (including declaration sheets): 3	2. original separate power of attorney:	: 1
description (excluding	3. original general power of attorney	
sequence listing and/or	4. copy of general power of attorney; reference number,	
tables related thereto) : 8	if any:	·
claims : 3	5. statement explaining lack of signature	:
abstract : 1 drawings	6. priority document(s) identified in Box No. VI as	:
Sub-total number of sheets : 15	item(s): 7. translation of international application into	:
sequence listing :	(language):	
tables related thereto :	8. separate indications concerning deposited microorganism or other biological material:	•
(for both, actual number of	9. sequence listing in computer readable form	
sheets if filed in paper form, whether or not also filed in	(indicate type and number of carriers)	
computer readable form;	(i) copy submitted for the purposes of international search us Rule 13ter only (and not as part of the international applicato	nder n) :
see (c) below) Total number of sheets : 15	(ii) (only where check-box (b)(i) or (b)(ii) is marked in left column additional copies including, where applicable, the copy for the	
(b) only in computer readable form	purposes of international search under Rule 13ter:	;
(Section 801(a)(i))	(iii) together with relevant statement as to the identity of the copcopies with the sequence listing part mentioned in left column	ń: ;
(i) sequence listing (ii) tables related thereto	10. tables in computer readable form related to sequence listing (indicate type and number of carriers)	g
(c) also in computer readable form	(i) copy submitted for the purposes of international sea	
(Section 801(a)(ii)) (i) sequence listing	under Section 802(b-quater) only (and not as part of international application)	the
(i) sequence listing (ii) tables related thereto	(ii) (only where check-box (b)(ii) or (c)(ii) is marked in left colu	ımn) :
Type and number of carriers (diskette,	additional copies including, where applicable, the copy for	r the
CD-ROM, CD-R or other) on which are	purposes of international search under Section 802(b-quate (iii) together with relevant statement as to the identity of	the ·
contained the	copy or copies with the tables mentioned in left colum	
sequence listing: tables related thereto:	11. other (specify)	:
(additional copies to be indicated under		
items 9(ii) and/or 10(ii), in right column)		
Figure of the drawings which should accompany the abstract:	Language of filing of the international application: English	
Box No. X SIGNATURE OF APPLICANT, AC	GENT OR COMMON REPRESENTATIVE and the capacity in which the person signs (if such capacity is not obvious from rea	ding the request).
Next to each signature, indicate the name of the person signing Munich May 27, 2004 / brä	and the capacity in which the person signs (i) such capacity 2 not dovices from	and a columnia
i viulicii, iviay 27, 2004 7 ola		
1 05 11111		
Dr. Wolfgang Bublak, European Patent Attorney		
Di. Wolfgang Babiak, European Talent Interney		
	For receiving Office use only	Drawings:
Date of actual receipt of the purported international application:		1
3. Corrected date of actual receipt due to later but		received:
timely received papers or drawings completing the purported international application:		
Date of timely receipt of the required corrections under PCT Article 11(2):		not received:
5. International Searching Authority (if two or more are competent): ISA /	6. Transmittal of search copy delayed until search fee is paid	
	or International Bureau use only	
<i>al</i>		
Date of receipt of the record copy by the International Bureau:		•

1- AP20 Resultand 30 Jan 2006

H100208 BUW/brä

Process for the Preparation of Geminal Difluoroalkanes

The present invention relates to a process for the preparation of geminal difluoroalkanes, as well as to new compounds prepared by said process and their use as an intermediate of pharmaceutical products.

10

15

20

25


Owing to their advantageous biochemical properties geminal difluoroalkanes are of special significance, which is due to the fact that the CF₂-group is isopolar and isometric in relation to the ether oxygen and a R-CHOH group. According to conventional manufacturing processes, a corresponding ketone is converted to a geminal difluoroalkane using fluorophosgene (J. Am. Chem. Soc. 84 (1962) 4275), sulfur tetrafluoride (Org. Reactions 21 (1974) 1), DAST (Et₂NSF₃, J. Org. Chem. 40 (1975) 574) or trifluoroacetic acid anhydride or pyridine HF (JP-A-63-054 332). Moreover, derivatized ketones such as hydrazones (J. Am. Chem. Soc. 109 (1987) 896), diazo compounds (J. Chem. Soc., Perkin Trans. 1 (1978) 1224) and thioketals (J. Org. Chem. 51 (1986) 3508) can be converted to geminal difluoroalkanes, respectively, using fluorine or halogen fluorides. In the present processes mainly gaseous and highly aggressive reagents are used that were generated using F₂ which involves a costly realisation of the conversion.

Recent literature has suggested to convert an unsubstituted oxime using a mixture of anhydrous hydrogen fluoride in ether in the presence of N₂O₄ (J. Fluorine Chem. 70 (1995) 207). However, the yield of this process is small. Concurrently, the conversion of an oxime using hydrogen fluoride in pyridine and nitrosyl tetra-fluoroborate (NOBF₄) was published (Synlett (1994) 425). However, the reagent NOBF₄ is costly and ill- suited for the use in the industry. Furthermore, according to the above manufacturing processes, only unsubstituted oximes can be converted to the corresponding geminal difluoroalkanes.

Thus, it is the object of the present invention to overcome the above disadvantages of the prior art and to provide a process for the preparation of geminal difluoroal-kanes which is specific, has sufficient yields, utilizes cost-effective reagents and which can also preferably be used for substituted difluoroalkanes.

This object can be achieved by reacting an oxime with a nitrite and a complex consisting of hydrogen fluoride and an organic base.

Thus, the invention relates to a process for the preparation of a geminal difluoroalkane having the general formula (I),



wherein, independently from each other, R' and R" represent substituted alkyl-, aryl- or aralkyl or may be combined to form a cyclic system, characterized in that an oxime of the general formula (II)

(II)

20

whereas R' and R" are defined as aforesaid, is converted using a nitrite and a complex comprising hydrogen fluoride and an organic base.

The oxime of the formula (II) is not particularly limited: in principle, any alkyl-, aryl- or aralkyl oxime can be used. If the oxime contains functional groups, these groups should be sufficiently stable with regard to acids and oxidants or be protected from fluorination accordingly. The oximes can be manufactured from the respective ketones by use of conventional processes. Thereby, 4-cyclohexanoneoxime carboxylic acid (esters) are parent compounds for particularly preferred difluoroalkanes according to the invention and novel, making them suitable for the use as intermediate compounds.

10

15

As the fluorination agent a combination of an hydrogen fluoride and an organic base may be used. Bases may be electron pair donors (Lewis bases) such as amines or ethers. In combination with an excess of hydrogen fluoride these organic bases containing free electron pairs form remarkably stable complexes of the general formula BH⁺(HF)_xF⁻, generally known as onium poly(hydrogen fluoride). Examples thereof are:

R₂OH⁺(HF)_xF⁻ (oxonium poly(hydrogen fluoride)), C₅H₅NH⁺(HF)_xF (pyridinium poly(hydrogen fluoride)), R₃PH⁺(HF)_xF⁻ (phosphonium poly(hydrogen fluoride)), R₃NH⁺(HF)_xF⁻ (ammonium poly(hydrogen fluoride)) and

As the nitrite inorganic or organic nitrites, or a combination thereof can be used, however, for practical reasons, the use of sodium nitrite and/or potassium nitrite is preferred. If organic nitrites are used, pentylnitrite and butylnitrite are suitable candidates.

5

Preferably, the nitrite is added as a solid to the reaction mixture consisting of an oxime and onium poly(hydrogen fluoride). The reaction is highly exotermic and is carried out preferably at a temperature of about 0 °C. After conversion, the reaction mixture is further processed with water, as usual.

10

15

The starting materials and the reagents can be added in any order.

In order to provide the hydrogen fluoride with the necessary reactivity, the presence of an organic base is preferred. If nitrosyl tetrafluoroborate is used as a fluorination agent, this results in small yields, particularly for substituted oximes as shown in Comparative Example 1 below. Converting an oxime using only anhydrous HF and nitrite results in a very small yield as shown in a Comparative Example 2 below.

20

The reaction scheme for the production of the preferred compound 4,4-difluorocyclohexane-carboxylic acid can be shown as follows.

The following examples illustrate the above discussion.

5 Example 1

10

15

20

Preparation of 4,4-difluorocyclohexane-carboxylic acid ethyl ester (method A)

In a nitrogen deactivated 250 ml PFA-flask comprising a magnetic stirrer, a thermoindicator, an N₂-inlet, a dosing pipe with a single-use syringe, a bubble gauge and an exhaust tube, 100 g pyridine/HF with wt. 70% HF were added and cooled down to 0 °C. While stirring for 20 minutes, 6 g sodium nitrite were added in small portions. After continued stirring for another 10 minutes at 0 °C 8.6 g 4-cyclohexanoneoxime-carboxylic acid ethyl ester were added via a dosing pipe with a single-use syringe over a period of 55 minutes. Thereby, the temperature was kept constant in a range between -2 and 1.5 °C. Near completion of the dosing, gas was generated. The reaction mixture was then stirred for another 2 hours at 0 °C.

300 g ice were put in a 21 PE beaker, and the reaction mixture was poured in at constant stirring. The mixture was then extracted using 350 ml fluobenzene. Water was added to the combined organic phases, followed by neutralizing them with a saturated sodium hydrogen carbonate solution. After phase separation, the or-

ganic lower phase was washed with water, filtered and narrowed down. 5.77 g of the title compound were obtained (yield 64.7%), which was measured using gas chromatography.

Example 2

Preparation of 4,4-difluorocyclohexane-carboxylic acid ethyl ester (method B)

In a nitrogen deactivated 250 ml PFA-flask comprising a magnetic stirrer, a thermoindicator, an N₂-inlet, a dosing pipe with a single-use syringe, a bubble gauge and an exhaust tube, 100 g pyridine/HF with wt. 70% HF were added and cooled down to 0 °C. Then, 27.8 g 4-cyclohexanoneoxime-carboxylic acid ethyl ester were added via a dosing pipe with a single-use syringe over a period of 20 minutes after continued stirring for another 30 minutes at 0 °C. 12.4 g sodium nitrite were added in small portions. Thereby, the temperature was kept constant in a range between -2 and 1.5 °C. Near completion of the dosing gas was generated. The reaction mixture was then stirred for another 2 hours at 0 °C.

300 g ice were put in a 21 PE beaker, and the reaction mixture was poured in at constant stirring. The mixture was then extracted using 350 ml fluobenzene. Water was added to the combined organic phases, followed by neutralizing them with a saturated sodium hydrogen carbonate solution. After phase separation, the organic lower phase was washed with water, filtered and narrowed down. 18.2 g of the title compound were obtained (yield 63.0%), which was measured using gas chromatography.

25

10

15

20

Example 3

Preparation of 4-cyclohexanoneoxime-carboxylic acid ethyl ester

In a 500 ml three necked-flask comprising an stirrer, a cooler, a thermometer and a drip funnel, 200 ml water, 81.6 g sodium acetate and 52.2 g hydroxylamine hy-

drochloride were added and heated up to 60 °C. Then, 85.2 g 4-cyclohexanone-carboxylic acid ethyl ester were added to the mixture over a period of 1 hour. The emulsion was stirred for 1.5 hours and left to stand over night at room temperature. This was followed by adding 50 ml tert-butyl methyl ether, by shaking, by separating the lower phase and by a repeated extraction of 50 ml tert-butyl methyl ether. Then, the combined organic phases were washed several times with water, filtered, dried and narrowed down under reduced pressure. 86.8 g 4-cyclohexanoneoxime-carboxylic acid ethyl ester were obtained (yield 93.6%).

10

15.

20

Comparative Example 1

Preparation of 4,4-difluorocyclohexane-carboxylic acid ethyl ester using NOBF₄

In a 200 ml PFA-flask with N₂-inlet, thermoindicator, dosing pipe with syringe, cooler, receiving flask, bubble gauge and exhaust tube, 100 g of pryidine/HF with 70 wt% HF were added and cooled down to 0 °C. Subsequently, 6.6 g nitrosyl tetrafluoroborate (white coarse crystals) were slowly added. 8.6 g of 4-cyclohexanone oxime carboxylic acid ethyl ester were drawn into a 10 ml syringe and added at -7 to -2 °C within 1 hour via the pipe. Then, the reaction mixture was heated up to room temperature and stirred for another 4 hours at room temperature. After about 1 hour the temperature rose to 27 °C, gas was bubbling up and N₂O could be observed in the bubble gauge. This was followed by cooling down with an ice bath. After the usual procedures, 3.4 g of the title compound (yield: 38.5%) could be isolated.


Comparative Example 2

Preparation of 4,4-difluorocyclohexane-carboxylic acid ethyl ester using HF without an organic base

- 5 70 g of HF were put into a 250 ml PFA- round bottom flask which was cooled in an ice/sodium chloride-freezing mixture. At a temperature of about -10 °C 18.5 g of 4-cyclohexanone oxime carboxylic acid ethyl ester were added to the HF, followed by portionwise adding 7 g NaNO₂ to the solution within 2 hours. In the meantime, the flask was closed with a bubble gauge which was removed during the addition of the nitrite. Only a minor gas generation could be observed. The reaction temperature was limited to a range between -5 °C and 2 °C. After dosing the nitrite, the reaction mixture was poured on ice, and after phase separation a sample was taken from the organic phase.
- The GC-analysis showed 84 area% starting material, 7.6 area% of 4,4- difluoro-cyclohexane-carboxylic acid ester and 5.6 area% of a monofluoro-compound. The assignment was performed using GC/MS.

Claims


Process for the preparation of a geminal difluoroalkane of the general formula
 (I),



5

wherein, independently from each other, R' and R" represent substituted alkyl-, aryl- or aralkyl or may be combined by the formation of a cyclic system, characterized in that an oxime of the general formula (II)

(I)



10

whereas R' and R" are defined as aforesaid, is converted using a nitrite and a complex consisting of hydrogen fluoride and an organic base.

- Process according to claim 1, characterized in that R' and R" represent C₁ C₈-alkyl or aryl or, in combination with the carbon atom they are bound to, C₃ C₈-alkyl.
- 3. Process according to claim 2, characterized in that R' and R" form a cyclohexane ring in combination with the carbon atom they are bound to.

4. Process according to claim 3, characterized in that the difluoroalkane of the general formula (I) is a difluorocyclohexane-carboxylic acid ester of the general formula (I'),

wherein R represents a hydrogen atom or C_1 - C_8 -alkyl.

5

10

- 5. Process according to claim 4, characterized in that the difluoroalkane of the general formula (I') is 4,4-difluorocyclohexane-carboxylic acid ethyl ester.
- 6. Process according to claim 4, characterized in that the difluoroalkane is 4,4-difluorocyclohexane-carboxylic acid.
- 7. Difluorocyclohexane-carboxylic acid ester of the general formula (I') according to claim 4, wherein R represents a hydrogen atom or a C₁ C₈-alkyl residue.
 - 8. Compound according to claim 7, namely 4,4-difluorocyclohexane-carboxylic acid.

9. Compound according to the general formula (II')

(II')

5

wherein R represents a hydrogen atom or a C_1 - C_8 -alkyl residue.

10. Use of 4,4-difluorocyclohexane-carboxylic acid as an intermediate in the manufacture of pharmaceutical products.

10

Abstract

The invention relates to a process for the preparation of a substituted or unsubstituted geminal difluoroalkane, wherein an oxime is converted to the geminal difluoroalkane using a nitrite and a complex consisting of HF and an organic base, as well as its use as an intermediate in the manufacture of pharmaceutical products.